

Tobacco Institute Testing Laboratory

Market Sample 31

Test Report

"Tar", "Nicotine", and Carbon Monoxide Values

May 5, 1989

PM3000986680

**Tobacco Institute Testing Laboratory
Market Sample 31
Test Results - Rounded Values**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
*Alpine KFMSp.....	17	1.1	16
American Lights KFSP.....	12	0.9	13
American Lights 100's 100FSP.....	13	1.1	14
Belair KFMSp.....	11	0.8	10
Belair 100's 100FMSp.....	9	0.7	9
Benson & Hedges KFHP.....	15	1.3	13
*Benson & Hedges 100's 100FHP.....	17	1.2	17
*Benson & Hedges 100's 100FMHP.....	17	1.2	17
*Benson & Hedges 100's 100FSP.....	17	1.2	16
*Benson & Hedges 100's 100FMSp.....	17	1.2	16
Benson & Hedges Deluxe Ultra Lights 100's 100FHP.....	5	0.4	6
Benson & Hedges Deluxe Ultra Lights 100's 100FMHP.....	5	0.5	6
Benson & Hedges Lights 100's 100FSP.....	11	0.8	13
Benson & Hedges Lights 100's 100FMSp.....	11	0.8	12
Benson & Hedges Multifilter KFSP.....	11	0.8	11
Bright 100s 100FMSp.....	6	0.4	10
Cambridge Full Flavor KFSP.....	17	1.1	16
Cambridge Full Flavor 100's 100FSP.....	17	1.2	16
Cambridge Lights KFSP.....	12	0.8	13
Cambridge Lights KFMSp.....	12	0.8	12
Cambridge Lights 100's 100FSP.....	12	0.9	15
Cambridge Lights 100's 100FMSp.....	12	0.9	15
Cambridge Ultra Low Tar 100's 100FSP.....	5	0.4	7
Camel RNFSP.....	22	1.4	14
Camel Filters KFHP.....	17	1.1	17
Camel Filters KFSP.....	16	1	15
Camel Filters 100's 100FSP.....	18	1.1	19
Camel Lights KFHP.....	10	0.6	12
Camel Lights KFSP.....	9	0.6	11
Camel Lights 100's 100FSP.....	11	0.8	15
Capri 100FHP.....	9	0.8	6
Capri 100FMHP.....	9	0.7	6
Carlton KFHP.....		0	0
Carlton KFSP.....	1	0.1	2
Carlton KFMSp.....	1	0.1	1
Carlton 100's 100FHP.....	1	0.1	1
Carlton 100's 100FMHP.....	1	0.1	1
Carlton 100's 100FSP.....	3	0.3	5
Carlton 100's 100FMSp.....	5	0.4	6
Carlton 120's 120FSP.....	6	0.6	6
Carlton 120's 120FMSp.....	6	0.6	5
Century 25's (25) KFSP.....	15	1	18
Century 25's 100's 100FSP.....	18	1.1	21
Century 25's Lights (25) KFSP.....	10	0.7	12
Century 25's Lights 100's 100FSP.....	12	0.9	13

*Retested brand

Rev. 5/89

Tobacco Institute Testing Laboratory
Market Sample 31
Test Results - Rounded Values

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
Century 25's Menthol Lights 100's 100FMSP	11	0.8	13
Chesterfield RNFSP	20	1.3	13
Chesterfield KNFSP	24	1.6	15
Doral Full Flavor KFSP	17	0.9	20
Doral Full Flavor 100's 100FSP	15	0.8	17
Doral Lights KFSP	12	0.7	15
Doral Menthol Lights KFMSP	12	0.6	14
Doral Lights 100's 100FSP	11	0.7	13
Doral Menthol Lights 100's 100FMSP	12	0.7	14
Doral Ultra Lights 100's 100FSP	7	0.5	12
English Ovals KNFHP	24	1.9	16
Eve Slim Lights 100's 100FHP	13	1	11
Eve Slim Lights 100's 100FMHP	13	1	11
Eve Lights 120's 120FHP	13	1.1	12
Eve Lights 120's 120FMHP	13	1.2	12
Falcon Lights KFSP	11	0.8	11
Falcon Lights KFMSP	10	0.8	12
Falcon Lights 100's 100FSP	12	0.9	15
Falcon Lights 100's 100FMSP	9	0.7	11
Harley Davidson KFSP	14	1	16
Herbert Tareyton KNFSP	25	1.6	18
Kent Golden Lights KFHP	9	0.8	10
Kent Golden Lights KFSP	8	0.7	10
Kent Golden Lights KFMSP	8	0.8	9
Kent Golden Lights 100s 100FHP	10	0.9	11
Kent Golden Lights 100s 100FSP	10	0.9	11
Kent Golden Lights 100s 100FMSP	9	0.8	10
Kent KFHP	11	0.9	13
Kent KFSP	12	0.9	14
Kent 100s 100FSP	14	1	15
Kent 100s 100FMSP	14	1	14
Kent III KFSP	3	0.3	4
Kent III 100s 100FHP	5	0.5	7
Kent III 100s 100FSP	5	0.4	7
Kool RNFMSF	21	1.4	14
Kool KFMHP	16	1.1	16
Kool KFMSP	17	1.1	17
Kool Super Longs 100's 100FMSP	17	1.2	17
Kool Lights KFMSP	8	0.7	9
Kool Lights 100's 100FMSP	9	0.7	10
Kool Milds KFMHP	12	0.9	11
Kool Milds KFMSP	12	0.9	13
Kool Milds 100's 100FMSP	12	1	13
Kool Ultra KFMSP	2	0.2	3
Kool Ultra 100's 100FMSP	5	0.4	5
L & M KFSP	14	1.1	13
L & M Super 100 100FSP	14	1.1	14

Rev. 5/89

**Tobacco Institute Testing Laboratory
Market Sample 31
Test Results - Rounded Values**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
L & M Long Lights 100FSP.....	8	0.8	6
L & M 30's Lights 100's 100FSP	13	1.1	11
Lark KFSP	14	1.1	13
Lark 100FSP	15	1.2	14
Lark Lights KFSP.....	13	1	13
Lark Light 100's 100FSP	14	1.1	15
Lucky Strike RNFSP.....	24	1.5	16
Lucky Strike KFHP.....	12	0.9	13
Lucky Strike KFSP	12	0.9	13
Lucky Strike Filters 100's 100FSP.....	12	1	13
Lucky Strike Menthol 100's 100FMSP	12	1	12
Lucky Strike Lights KFSP	8	0.7	10
Lucky Strike Lights 100's 100FSP	9	0.7	10
Magna KFHP	14	0.9	16
Magna KFSP	14	0.9	15
Magna Lites KFSP	9	0.6	14
Malibu Filters KFSP.....	16	1.2	14
Malibu Menthol KFMSP	17	1.2	15
Malibu 100's 100FSP.....	14	1.1	13
Malibu Menthol 100's 100FMSP	12	0.9	13
Malibu Lights KFSP	10	0.8	11
Malibu Lights 100's 100FSP.....	9	0.8	11
Marlboro KFHP.....	17	1.1	15
Marlboro KFSP	17	1.2	17
*Marlboro KFMSP	17	1.2	15
Marlboro 100's 100FHP	17	1.2	17
Marlboro 100's 100FSP	17	1.2	16
Marlboro 25's KFSP	17	1.1	16
Marlboro Lights KFHP	11	0.8	12
Marlboro Lights KFMHP	10	0.8	11
Marlboro Lights KFSP	11	0.8	12
Marlboro Lights KFMSP	10	0.8	10
Marlboro Lights 100's 100FHP	11	0.8	12
Marlboro Lights 100's 100FHMP	10	0.8	11
Marlboro Lights 100's 100FSP	11	0.8	13
Marlboro Lights 100's 100FMSP	11	0.9	12
Marlboro Lights 25's KFSP	11	0.8	12
Marlboro 100's Red 100FHP.....	16	1.2	16
Marlboro 100's Red 100FSP.....	17	1.2	17
Max 120s 120FSP	17	1.3	18
Max 120s 120FMSP	17	1.4	17
Merit KFHP.....	8	0.6	10
Merit KFSP.....	8	0.6	10
Merit KFMSP	8	0.6	10
Merit 100's 100FSP	10	0.8	12

*Retested brand

Rev. 5/89

**Tobacco Institute Testing Laboratory
Market Sample 31
Test Results - Rounded Values**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
Merit 100's 100FMSP	10	0.8	12
Merit Ultra Lights KFSP	4	0.4	6
Merit Ultra Lights KFMSF	5	0.4	6
Merit Ultra Lights 100's 100FSP	5	0.5	7
Merit Ultra Lights 100's 100FMSP	6	0.5	8
More 120s 120FSP	16	1.2	22
More 120s 120FMSP	17	1.3	22
More Lights 100s 100FHP	10	0.8	11
More Lights 100s 100FMHP	9	0.7	10
More Lights 120s 120FSP	13	1	20
More Lights 120s 120FMSP	12	1	20
Newport KFMHP	16	1.2	16
Newport KFMSF	17	1.3	18
Newport 100's 100FMHP	19	1.5	19
Newport 100's 100FMSP	19	1.5	19
Newport 25's KFMSF	17	1.3	18
Newport 25's 100FMSP	19	1.5	20
Newport Lights KFMHP	9	0.7	10
Newport Lights KFMSF	8	0.7	9
Newport Lights 100's 100FMHP	9	0.8	10
Newport Lights 100's 100FMSP	9	0.8	10
Newport Stripes 100FHP	12	0.9	17
Newport Stripes 100FMHP	12	0.9	16
Newport Stripes Slim Lights 100FMHP	9	0.8	11
Now KFHP	0	0	0
Now KFSP	1	0.1	2
Now KFMSF	1	0.1	2
Now 100s 100FHP	0	0	0
Now 100s 100FSP	2	0.2	3
Now 100s 100FMSP	2	0.3	4
Old Gold Straights KNFSP	27	1.9	19
Old Gold Filters KFSP	17	1.2	18
Old Gold Filter 100's 100FSP	20	1.5	20
Old Gold Lights KFSP	9	0.8	11
Old Gold Lights 100s 100FSP	12	0.9	17
Pall Mall KNFSP	25	1.6	17
Pall Mall 25's KNFSP	25	1.6	17
Pall Mall 100's 100FSP	17	1.3	17
Pall Mall Lights 100's 100FSP	10	0.8	12
Pall Mall Light 100's Low Tar 100FMSP	13	1.1	13
Pall Mall Red Filters KFSP	14	1	13
Pall Mall Red Filters 100's 100FSP	14	1.1	14
Pall Mall Red Lights KFSP	10	0.8	11
Pall Mall Red Lights 100's 100FSP	11	0.9	12
Parliament Lights KFHP	9	0.7	10
Parliament Lights KFSP	9	0.7	10
Parliament Lights 100's 100FSP	12	0.9	13

Rev. 5/89

**Tobacco Institute Testing Laboratory
Market Sample 31
Test Results - Rounded Values**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
Philip Morris Commander KNFSP	26	1.6	16
Philip Morris International 100FHP	17	1.1	16
Philip Morris International 100FMHP	17	1.1	16
Players RNFHP	25	1.7	16
Players KFHP	12	0.8	12
Players KFMHP	12	0.8	12
Players 100's 100FHP	14	1	13
Players 100's 100FMHP	14	1	13
Players Lights 25's KFSP	10	0.7	11
Players Lights 25's KFMSF	10	0.7	11
Players 25's Lights 100's 100FSP	12	0.9	14
Players 25's Lights 100's 100FMSP	11	0.8	14
Raleigh KNFSP	24	1.4	17
Raleigh KFSP	16	1	15
Raleigh 100's 100FSP	16	1	16
Raleigh Lights KFSP	11	0.9	13
Raleigh Lights 100's 100FSP	12	0.9	14
Richland 20's KFSP	16	1.1	16
Richland 20's KFMSF	16	1	16
Richland 20's 100's 100FSP	17	1.2	17
Richland 20's Menthol 100's 100FMSP	17	1.2	17
Richland 20's Lights KFSP	12	0.9	13
Richland 20's Lights 100's 100FSP	12	0.9	14
Richland (25) KFSP	17	1.2	16
Richland (25) KFMSF	16	1.1	16
Richland 100's (25) 100FSP	17	1.3	17
Richland 100's (25) 100FMSP	16	1.2	16
Richland Lights (25) KFSP	12	0.9	13
Richland Lights (25) 100's 100FSP	12	0.9	14
Ritz 100 100FHP	10	0.8	11
Ritz 100 100FMHP	11	0.8	12
Salem KFMSF	16	1	17
Salem 100's 100FMSP	17	1.2	16
Salem Lights KFMSF	10	0.7	13
Salem Lights 100's 100FMHP	11	0.9	12
Salem Lights 100's 100FMSP	9	0.7	11
Salem Slim Lights 100's 100FMHP	10	0.8	10
Salem Ultra Lights KFMSF	5	0.4	8
Salem Ultra Lights 100's 100FMSP	5	0.4	8
Saratoga 120's 120FHP	15	1.1	15
Saratoga 120's 120FMHP	15	1.1	15
Satin 100FSP	11	1	13
Satin 100FMSP	11	1	13
Silva Thins Filters 100FHP	12	1	13
Silva Thins Menthol 100FMHP	11	0.9	12
Silva Thins 100FSP	12	1	10
Silva Thins Menthol 100FMSP	12	1.1	10

Rev. 5/89

**Tobacco Institute Testing Laboratory
Market Sample 31
Test Results - Rounded Values**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
Spring 100's 100FMSP	19	1.5	19
Tall 120s 120FSP	20	1.6	20
Tall 120s 120FMSP	18	1.6	16
Tareyton KFSP	14	1	16
Tareyton 100's 100FSP	14	1	17
Tareyton Lights KFSP	5	0.4	6
Tareyton Long Lights 100FSP	8	0.7	9
Triumph KFSP	3	0.3	4
Triumph KFMSP	4	0.3	4
Triumph 100s 100FSP	5	0.5	7
Triumph 100s 100FMSP	5	0.5	8
True KFSP	5	0.5	6
True KFMSP	5	0.5	6
True 100's 100FSP	7	0.6	7
True 100's 100FMSP	7	0.6	7
Vantage KFSP	11	0.8	13
Vantage KFMSP	10	0.7	13
Vantage 100s 100FSP	9	0.6	13
Vantage Menthol 100s 100FMSP	8	0.6	13
Vantage Ultra Lights KFSP	6	0.5	8
Vantage Ultra Lights 100s 100FSP	6	0.5	9
Viceroy KFSP	15	1	15
Viceroy Super Long 100's 100FSP	16	1.1	15
Viceroy Lights KFSP	11	0.9	13
Viceroy Lights 100's 100FSP	12	0.9	14
Virginia Slims 100FSP	15	1.1	14
Virginia Slims 100FMSP	15	1.1	14
Virginia Slims Lights 100FHP	9	0.7	9
Virginia Slims Lights 100FMHP	9	0.7	9
*Virginia Slims Lights 120's 120FHP	15	1.1	15
*Virginia Slims Lights 120's 120FMHP	15	1.1	15
Winston KFHP	17	1.1	17
Winston KFSP	17	1.1	16
Winston 100's 100FSP	17	1.1	19
Winston Lights KFHP	10	0.6	12
Winston Lights KFSP	11	0.8	13
Winston Lights 100's 100FHP	10	0.7	12
Winston Lights 100's 100FSP	11	0.8	13
Winston Ultra Lights KFSP	5	0.5	8
Winston Ultra Lights 100's 100FSP	5	0.5	9
Craven "A" KFHP	16	1.2	16
Craven "A" Filter Standard Size RFHP	19	1.5	14
Dunhill International 100FHP	15	1.4	18
Dunhill Menthol 100FMHP	14	1.2	17
Dunhill Menthol Mild 100FMHP	10	1	13

*Retested brand

Rev. 5/89

**Tobacco Institute Testing Laboratory
Market Sample 31
Test Results - Rounded Values**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
Dunhill International Superior Mild 100FHP	8	0.7	10
Rothmans KFHP.....	19	1.3	23
Rothmans Special Mild KFHP.....	14	1	16
St. Moritz Filter 100s 100FSP.....	15	1.1	16
St. Moritz Menthol 100FMSP	15	1	17

**Tobacco Institute Testing Laboratory
Market Sample 31
Test Results - Philip Morris Brands**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
*Alpine KFMSp	17.1±0.2	1.14±0.02	16.5±0.2
Benson & Hedges KFHP	15.4±0.2	1.26±0.02	12.6±0.3
*Benson & Hedges 100's 100FHP	17.3±0.2	1.20±0.03	17.0±0.4
*Benson & Hedges 100's 100FMHP	17.4±0.2	1.22±0.01	17.2±0.3
*Benson & Hedges 100's 100FSP	17.3±0.2	1.22±0.02	16.4±0.4
*Benson & Hedges 100's 100FMSP	17.1±0.2	1.20±0.02	16.4±0.3
Benson & Hedges Deluxe Ultra Lights 100's 100FHP	5.0±0.2	0.44±0.02	6.2±0.3
Benson & Hedges Deluxe Ultra Lights 100's 100FMHP	5.2±0.1	0.47±0.01	6.2±0.2
Benson & Hedges Lights 100's 100FSP	10.7±0.2	0.83±0.02	13.0±0.3
Benson & Hedges Lights 100's 100FMSP	10.7±0.2	0.81±0.02	12.0±0.2
Benson & Hedges Multifilter KFSP	11.2±0.3	0.85±0.02	10.8±0.2
Cambridge Full Flavor KFSP	17.1±0.3	1.09±0.01	16.1±0.3
Cambridge Full Flavor 100's 100FSP	17.2±0.3	1.17±0.02	16.0±0.3
Cambridge Lights KFSP	12.3±0.2	0.85±0.01	12.7±0.3
Cambridge Lights KFMSp	11.9±0.2	0.84±0.02	12.1±0.3
Cambridge Lights 100's 100FSP	12.0±0.2	0.87±0.02	14.5±0.4
Cambridge Lights 100's 100FMSP	11.9±0.2	0.86±0.01	14.6±0.4
Cambridge Ultra Low Tar 100's 100FSP	4.7±0.2	0.41±0.01	6.6±0.3
English Ovals KNFHP	23.8±0.6	1.87±0.04	15.6±0.5
Marlboro KFHP	17.0±0.2	1.14±0.02	15.2±0.3
Marlboro KFSP	17.4±0.2	1.17±0.02	16.9±0.4
*Marlboro KFMSp	17.1±0.3	1.18±0.01	15.3±0.2
Marlboro 100's 100FHP	17.0±0.4	1.22±0.03	16.9±0.6
Marlboro 100's 100FSP	17.1±0.3	1.22±0.02	16.5±0.4
Marlboro 25's KFSP	17.2±0.3	1.13±0.02	15.9±0.3
Marlboro Lights KFHP	11.0±0.2	0.82±0.02	12.4±0.3
Marlboro Lights KFMSp	10.2±0.2	0.78±0.02	11.2±0.3
Marlboro Lights KFSP	11.2±0.2	0.83±0.02	12.2±0.3
Marlboro Lights KFMSp	9.9±0.2	0.77±0.01	10.4±0.3
Marlboro Lights 100's 100FHP	10.8±0.2	0.85±0.02	12.3±0.3
Marlboro Lights 100's 100FMHP	10.2±0.2	0.81±0.02	11.2±0.4
Marlboro Lights 100's 100FSP	11.0±0.2	0.85±0.02	13.0±0.4
Marlboro Lights 100's 100FMSP	10.9±0.1	0.86±0.01	12.0±0.3
Marlboro Lights 25's KFSP	11.2±0.2	0.80±0.02	12.4±0.3
Marlboro 100's Red 100FHP	16.4±0.3	1.19±0.02	16.3±0.4
Marlboro 100's Red 100FSP	16.5±0.2	1.19±0.02	17.0±0.2
Merit KFHP	7.8±0.2	0.60±0.01	9.8±0.2
Merit KFSP	7.6±0.2	0.59±0.01	9.8±0.3
Merit KFMSp	7.7±0.2	0.58±0.01	10.0±0.3
Merit 100's 100FSP	10.0±0.2	0.80±0.02	11.8±0.3
Merit 100's 100FMSP	10.1±0.2	0.78±0.02	12.0±0.3
Merit Ultra Lights KFSP	4.4±0.2	0.43±0.01	5.5±0.2
Merit Ultra Lights KFMSp	4.5±0.1	0.42±0.01	5.9±0.2
Merit Ultra Lights 100's 100FSP	5.3±0.1	0.50±0.01	7.4±0.2
Merit Ultra Lights 100's 100FMSP	6.0±0.2	0.53±0.02	8.2±0.3

*Retested brand

Rev. 5/89

**Tobacco Institute Testing Laboratory
Market Sample 31
Test Results - Philip Morris Brands**

Brand	"Tar" mg/cig	"Nicotine" mg/cig	CO mg/cig
Parliament Lights KFHP	9.5±0.2	0.72±0.02	10.3±0.4
Parliament Lights KFSP.....	9.1±0.2	0.71±0.02	10.4±0.2
Parliament Lights 100's 100FSP.....	12.0±0.2	0.95±0.02	12.7±0.2
Philip Morris Commander KNFSP	26.3±0.5	1.61±0.03	16.2±0.5
Philip Morris International 100FHP	16.8±0.4	1.15±0.02	15.6±0.4
Philip Morris International 100FMHP.....	16.9±0.2	1.08±0.02	16.2±0.4
Players RNFHP	25.2±0.4	1.74±0.03	15.9±0.4
Players KFHP	11.7±0.2	0.83±0.02	12.2±0.2
Players KFMHP	11.9±0.2	0.82±0.01	12.3±0.2
Players 100's 100FHP	13.9±0.2	0.98±0.02	12.9±0.3
Players 100's 100FMHP	14.0±0.2	0.98±0.02	12.7±0.3
Players Lights 25's KFSP.....	10.0±0.2	0.72±0.02	11.1±0.2
Players Lights 25's KFMSP.....	10.0±0.2	0.71±0.01	11.1±0.4
Players 25's Lights 100's 100FSP.....	11.9±0.3	0.86±0.02	14.1±0.4
Players 25's Lights 100's 100FMSP.....	11.4±0.2	0.81±0.01	13.7±0.3
Saratoga 120's 120FHP.....	14.7±0.2	1.07±0.02	14.8±0.3
Saratoga 120's 120FMHP.....	14.7±0.3	1.07±0.02	14.8±0.4
Virginia Slims 100FSP	15.3±0.2	1.07±0.02	13.8±0.3
Virginia Slims 100FMSP	15.1±0.3	1.06±0.03	13.9±0.3
Virginia Slims Lights 100FHP	8.8±0.2	0.70±0.02	9.3±0.3
Virginia Slims Lights 100FMHP	8.5±0.2	0.69±0.02	9.2±0.2
*Virginia Slims Lights 120's 120FHP	14.8±0.2	1.09±0.02	15.2±0.3
*Virginia Slims Lights 120's 120FMHP	14.9±0.2	1.08±0.01	14.9±0.2

*Retested brand

Rev. 5/89